


OS reference: 339259 E 651900 N
Eye level: 403.6m AOD
Direction of view: 207°
Nearest turbine: 5.05 km

Horizontal field of view: 90° (cylindrical projection)
Principal distance: 522 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 130 mm

Camera: Canon EOS 6D Mark II
Lens: EF50mm f/1.4 USM
Camera height: 1.5 m AGL

Figure: 7:13a
Cumulative Wireline: Corsehope Rings (SM1166)





OS reference: 339259 E 651900 N
Eye level: 403.6m AOD
Direction of view: 297°
Nearest turbine: 5.05 km

Horizontal field of view: 90° (cylindrical projection)
Principal distance: 522 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 130 mm

Camera: Canon EOS 6D Mark II
Lens: EF50mm f/1.4 USM
Camera height: 1.5 m AGL

Figure: 7:13b
Cumulative Wireline: Corsehope Rings (SM1166)






OS reference: 339259 E 651900 N
Eye level: 403.6m AOD
Direction of view: 117°
Nearest turbine: 5.05 km

Horizontal field of view: 90° (cylindrical projection)
Principal distance: 522 mm
Paper size: 841 x 297 mm (half A1)
Correct printed image size: 820 x 130 mm

Camera: Canon EOS 6D Mark II
Lens: EF50mm f/1.4 USM
Camera height: 1.5 m AGL

Figure: 7:13d
Cumulative Wireline: Corsehope Rings (SM1166)



Wireline drawing

View flat at a comfortable arm's length

OS reference: 339259 E 651900 N
 Eye level: 403.6m AOD
 Direction of view: 297°
 Nearest turbine: 5.05 km

Horizontal field of view: 53.5° (planar projection)
 Principal distance: 812.5 mm
 Paper size: 841 x 297 mm (half A1)
 Correct printed image size: 820 x 260 mm

Camera: Canon EOS 6D
 Lens: EF50mm f/1.4 USM
 Camera height: 1.5 m AGL

Figure: 7:13e
 Cumulative Wireline: Corsehope Rings (SM1166)